


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

 Ad
Sc
Sc

 Scholar All articles - [Recent articles](#) Results 1 - 30 of about 1,080 for inline tracer api segment OR

All Results

[A Fox](#)
[D Bruening](#)
[S Gribble](#)
[E Brewer](#)
[P Lieve](#)
[An infrastructure for adaptive dynamic optimization - all 24 versions »](#)

 D Bruening, T Garnett, S Amarasinghe - Code Generation and Optimization, 2003. CGO 2003. ..., 2003 - [ieeexplore.ieee.org](#)

... term fragment to mean either a basic block or a trace in the code cache. 3 Client Interface DynamoRIO exports a rich Application Programming Interface (API) to ...

[Cited by 136](#) - [Related Articles](#) - [Web Search](#)
[Atmospheric sampling glow discharge ionization source for the determination of trace organic ... - all 4 versions »](#)

 SA McLuckey, GL Glish, KG Asano, BC Grant - Analytical Chemistry, 1988 - [pubs.acs.org](#)

... as mentioned above, has been used in API. ... cases, extremely sensitive means for monitoring trace species in ... contain apertures in their centers in-line with the ...

[Cited by 57](#) - [Related Articles](#) - [Web Search](#)
[\[PDF\] Identification of procyanidins in cocoa \(Theobroma cacao\) and chocolate using high-performance ... - all 6 versions »](#)

 JF Hammerstone, SA Lazarus, AE Mitchell, R Rucker, ... - J. Agric. Food Chem, 1999 - [mitchell.ucdavis.edu](#)

... Comparison of the TIC from API-ES/MS in the positive ... to assist ionization (B), and the UV trace at 280 nm ... ie, no analytical HPLC column was in line between the ...

[Cited by 102](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
[\[PDF\] The Application Response Measurement \(ARM\) API, Version 2 - all 4 versions »](#)

 MW Johnson - Proceedings of the 23rd International Conference on ..., 1997 - [cmg.org](#)

... good and fast ARM agent and make the calls inline. ... 5 - How Transactions are Correlated

using the ARM API ... the trace flags turned on in their child transactions ...

[Cited by 6](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
[Beyond PVM 3.4: What We've Learned, What's Next, and Why - all 12 versions »](#)

 GA Geist, JA Kohl, PM Papadopoulos, SL Scott - Recent Advances in Parallel Virtual Machine and Message ..., 1997 - [books.google.com](#)

... The current PVM API has influenced the internal design ... a "tracer" for automatically collecting trace event messages ... returns to the browser for inline display. ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#)
[Single short-column liquid chromatography with atmospheric pressure chemical ionization-\(tandem\) ... - all 2 versions »](#)

AC Hogenboom, J Slobodnik, JJ Vreuls, JA Rontree, ... - Chromatographia, 1996 - Springer

... It has recently been reported that API-MS gives better ... in line with the short column LC part of the set ... After trace enrichment of more than 20 real-life water ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#)
[A Methodology for Architecture Exploration of Heterogeneous Signal Processing Systems - all 8 versions »](#)

P Lieveerse, P Van Der Wolf, K Vissers, E ... - The Journal of VLSI Signal Processing, 2001 - Springer
 ... In line with Kienhuis et al. ... The use of the API functions is illustrated by the code fragment in ... 6. The trace entries generated by the read and write functions ...
[Cited by 119](#) - [Related Articles](#) - [Web Search](#)

The Paisācī fragment of the Kuvalayamālā

FBJ Kuiper - Indo-Iranian Journal, 1957 - Springer
 ... THE PAISACI FRAGMENT OF THE KUALAYAMAL ... rather a later copyist's emendation than
 a trace of an ... Pavvaya- in line 7 (JP), contrasting with pavvatarajo, is either ...
[Web Search](#)

Cation exchange in tartaric acid-nitric acid and in tartaric acid-ammonium tartrate solution

FWE Strelow, TN Van der Walt - Analytical Chemistry, 1982 - pubs.acs.org
 ... The arrangement of heated glass and in-line stainless steel mesh ... little tailing compared to the UV trace for the ... In contrast, the API LC/MS/MS mass spectra ...
[Cited by 5](#) - [Related Articles](#) - [Web Search](#)

[PDF] Wabi CPU emulation - all 3 versions »

P Hohensee, M Myszewski, D Reese - Proceedings Hot Chips VIII, 1996 - hotchips.org
 ... WINDOWS API INTERFACE ... (using 64, not 80-bit numbers) and the single-step (trace) trap q Maintainable and portable ... q Inline small functions, especially far ones ...
[Cited by 14](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Operating system based performance monitoring of programs - all 3 versions »

WJ Bolosky, RF Rashid - US Patent 5,485,574, 1996 - Google Patents
 ... Susan J. et al., "Techniques for Efficient Inline Tracing on ... 3 is a block diagram showing an API of FIG ... computer systems 10 may concurrently run a trace on the ...
[Cited by 49](#) - [Related Articles](#) - [Web Search](#)

Determination of an endothelin receptor antagonist in human plasma by narrow-bore liquid ... - all 3 versions »

B Lausecker, G Hopfgartner - Journal of Chromatography A, 1995 - Elsevier
 ... at 50 eV (API III) or 35 eV (API IIIplus ... The LC-UV trace was recorded with a ABI (Ramsey, NJ ... pA volume, 6-mm path length micro detection cell in-line between the ...
[Related Articles](#) - [Web Search](#)

Electron reversal ionizer for detection of trace species using a spherical cathode - all 4 versions »

S Boumsellek, A Chutjian - US Patent 5,374,828, 1994 - Google Patents
 ... provement of the in-line reversal electron, high-current ... Unlike the ASGDI, API, BCD or NICI techniques, ... In many applications of a trace-analysis instrument, ...
[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[PDF] The NS (v2) Simulator Workshop - all 13 versions »

K Fall, K Varadhan - Lawrence Berkeley National Laboratory, USC/ISI, 1997 - netarchlab.tsinghua.edu.cn
 ... Using the scheduler Scheduler API is through Simulator object: ... trace header body ... class
 Connector : public NsObject { public: Connector() inline NsObject* target ...
[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Clinical impact of abnormal gut flora in infants receiving parenteral nutrition - all 5 versions »

A Pierro, HKF van Saene, MO Jones, D Brown, AJ ... - Ann Surg, 1998 - annalsofsurgery.com

... Biomedical, Portsmouth, UK) was placed in-line to remove ... fat, electrolytes, vitamins, and trace elements.9 ... Standard microbiologic methods including API 20E and ...

[Cited by 31](#) - [Related Articles](#) - [Web Search](#)

Code cache management schemes for dynamic optimizers - all 10 versions »

K Hazelwood, MD Smith - Interaction between Compilers and Computer Architectures, ..., 2002 - ieeexplore.ieee.org

... with several application programming interface (API) hooks to ... in this scheme were already next in line for eviction. ... the case where an evicted trace frees much ...

[Cited by 27](#) - [Related Articles](#) - [Web Search](#)

High-Level Accumulation of a Recombinant Antibody Fragment in the Periplasm of

C Chen, B Snedecor, JC Nishihara, JC Joly, N ... - studies, 1994 - doi.wiley.com

... with a C-terminal (34-residue) leucine zipper (LZ) segment. ... and the affinity column is placed in-line with a ... and directed to a PE Sciex API 3000 electrospray ...

[Related Articles](#) - [Web Search](#)

Determination of uranium by flow injection inductively coupled plasma mass spectrometry - all 3 versions »

JH Aldstadt, JM Kuo, LL Smith, MD Erickson - Analytica Chimica Acta, 1996 - Elsevier

... flow impedi- ment, such as an in-line separation column ... for the separation of complex samples containing trace levels of ... at a con- stant pressure (API the flow ...

[Cited by 26](#) - [Related Articles](#) - [Web Search](#)

[DOC] The Curl Graphics2d Immediate Mode Rendering API - all 6 versions »

M McGuire - 2000 - cs.brown.edu

... Comments and inline documentation (contained in a {doc ... MIT and encouraged my early ray tracer work, thereby ... interfaces found in the Graphics3d API and Modeling ...

[View as HTML](#) - [Web Search](#) - [Library Search](#)

Dedications of Phialai at Athens

DM Lewis - Hesperia, 1968 - JSTOR

... Lines 2-3: ['Api]or[av]8pov is, I think, inevitable ... read KoX [covdi], in line 27 Aev[KovoEis], in line 31 Ila[oviSat], and distrust the reported trace at the ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

Technique for continuous measurement of compliance in isolated vascular segments - all 2 versions »

LB Bell, EJ Zuperku, JP Kampine - American Journal of Physiology- Regulatory, Integrative and ..., 1986 - Am Physiological Soc

... AP = AV/C). Other features of the system include 1) an in-line ... I 1 syringe pump into the test segment. ... The top trace is time in seconds, and the lower trace ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[PDF] A Cross-Platform Framework for Interactive Ray Tracing

M Geimer, S Müller - Graphiktag im Rahmen der GI Jahrestagung, 2003 - uni-koblenz.de

... Using the intrinsics API has several advantages: First ... of different compilers, whereas their inline assembler interfaces ... version of our ray tracer was executed ...

[Cited by 7](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Comparison of heterogeneous and homogeneous radioactivity flow detectors for simultaneous profiling ... - all 7 versions »

LA Egnash, R Ramanathan - Journal of Pharmaceutical and Biomedical Analysis, 2002 - Elsevier

... major metabolites from minor or trace level metabolites ... For all Sciex API 3000 experiments, an Apple ... flow rate and (C) homogeneous in-line radioactivity flow ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#)

A 16-Residue Peptide Fragment of Macrophage Migration Inhibitory Factor, MIF-(50-65), Exhibits Redox ... - all 3 versions »

MT Nguyen, J Beck, H Lue, H Funzig, R Kleemann, P ... - Journal of Biological Chemistry, 2003 - ASBMB

... Some analyses were performed with an Applied Biosystems API 3000 liquid ... volumes of 20 µg of MIF peptide fragment 50–65 ... After 48 h, a tracer amount of [3 H ...

[Cited by 20](#) - [Related Articles](#) - [Web Search](#)

Applications of hyphenated LC-MS techniques in pharmaceutical analysis - all 3 versions »

J Ermer, M Vogel - Biomedical Chromatography, 2000 - doi.wiley.com

... mass-to-charge ratio, m/z, this value decreases in line with the ... The API technique has now reached a mature state. ... trace A, 240 nm) and with MS (trace B, total ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#)

Chromatography/Electrospray Ionization Mass

J Ding, W Burkhardt, DB Kassel - RAPID COMMUNICATIONS IN MASS SPECTROMETRY, 1994 - doi.wiley.com

... ABI 785A absorbance detector was connected 'in-line' between the ... Mass spectrometry

A Sciex API-I11 IonSpray triple ... 159 from the TIC trace permits the two di ...

[Related Articles](#) - [Web Search](#)

[PDF] Experience With Top Gun Wingman: A Proxy-Based Graphical Web Browser for the 3Com PalmPilot - all 12 versions »

A Fox, I Goldberg, SD Gribble, DC Lee, A Polito, ... - Proceedings of the IFIP International Conference on ..., 1998 - cypherpunks.ca

... to the delivered page with all in- line images ... the total size of the HTML, all inline images, and ... vices: Deductions from a Large Client Trace, in 'Proceedings ...

[Cited by 81](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

An Integrated Strategy for Structural Characterization of the Protein and Carbohydrate Components of ... - all 3 versions »

GD Roberts, WP Johnson, S Burman, K Anumula, SA ... - Analytical Chemistry, 1995 - pubs.acs.org

... CIS column connected to the Sciex API-I11 electrospray ... significant peaks appearing in the UV trace were fraction ... a 25% mass change from the previous segment. ...

[Cited by 42](#) - [Related Articles](#) - [Web Search](#)

Prostate-Specific Antigen Forms a Complex With and Cleaves

WM Zhang, J Leinonen, N Kalkkinen, UH Stenman - The Prostate, 1997 - doi.wiley.com

... to API labeled with Eu-chelate was used as tracer. ... major inhibitor for PSA, which is in line with the ... to human elastase, indicating that cleaved API was inac ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

Metabolism of paclitaxel in mice - all 4 versions »

HA Bardelmeijer, IAM Oomen, MJX Hillebrand, JH ... - Anti-Cancer Drugs, 2003 - anti-cancerdrugs.com

... ml of paclitaxel, supplemented with a tracer amount of ... were introduced into a model

API 365 triple ... MH + (protonated paclitaxel) and diagnostic fragment ions at ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

Google 

Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google